Service Bulletin	
Bulletin #: SB-610-001	Rev: 05
07/28/22	Page 1

Daifuku America Corporation 30100 Cabot Drive Novi, Michigan 48377



Subject: Lubrication Requirements for Unibilt® Conveyor Chain and Track

1 of 1

Proper lubrication of Unibilt[®] conveyor chain and track is essential for extended service life. This service bulletin addresses the initial lubrication requirements and recommended long term maintenance practices for Unibilt[®] chain and track.

Unibilt® Chain Assemblies

Unibilt[®] chain must be lubricated immediately after installation.

- Recommended lubricant: DuBois Chemicals #MPO-30 oil.
- Optional Lubricants: Must be equivalent to SAE 30, AGMA #3 or ISO 100 viscosity. EP additives, and/or polymer additives are recommended.

Product information on DuBois Chemicals #MPO-30 oil can be found at <u>www.duboischemicals.com/</u> or by Google[™] key word search on "DuBois Chemicals".

Water based, low viscosity or dry film type lubricants are not recommended for Unibilt® chain and may void any applicable DAC product warranties.

An automatic chain lubricator with 9 nozzles is strongly recommended for typical systems and is required for heavily loaded systems or systems operating in adverse environments such as high temperature. Refer to figure #1 for the 9 location points on the chain requiring lubrication.

The use of automatic lubricators with less than 9 nozzles may void any applicable DAC product warranties.



Figure 1" Lubrication Points for Unibilt[®] Chain

Adequate maintenance lubrication is required for all systems and in particular for heavily loaded systems or systems operating in adverse environments such as high temperatures. The frequency and amount of lubrication is unique for each conveyor application and is normally determined after the initial installation and after a 1 month evaluation. Proper lubrication is generally defined as having a visually wet oil film on all bearing surfaces and wheel rolling surfaces.

<u>Unibilt[®] Track</u>

For extended service life of the Unibilt[®] track on heavy duty systems, an initial film of lubricant should be applied to the internal track rolling surfaces. This initial lubricant film can be achieved by several methods; prolonged initial operation of the chain lubricator, pre-lubricating the track prior to installing the chain, or manually spraying lube into the track and allowing the load wheels to track it evenly throughout.

Track re-lubrication is normally not required if the conveyor chain is properly maintained and lubricated. With proper chain lubrication, small amounts of lubricant are normally transferred onto the track rolling surfaces and will maintain a proper lubricating film on the track. Dry track rolling surfaces are generally an indication of substandard chain lubrication maintenance.

For questions regarding this service bulletin, call Daifuku America Corporation (DAC) Product Sales at (248) 553-1232 or email us at <u>dacproductsales@daifukuamerica.com</u>.

©2022 Daifuku America Corporation: This Service Bulletin is intended to provide general information regarding the installation and/or service of the subject equipment in typical conveyor applications. Due to the variety of conveyor applications and associated environmental conditions, DAC makes no representations, warranties, or guaranties that adherence to the recommendations and instructions contained in this bulletin will result in the proper installation and/or service of the subject equipment, or that the information is complete or accurate for any particular application. DAC disclaims all liability for the installation and/or service of Daifuku equipment or parts performed by others. DAC reserves the right to revise, update, or discontinue Service Bulletins at any time without notice.